

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S8	3	\$crypt\$4 near (webpage homepage) same server and CGI and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:44
S9	5	\$crypt\$4 near (webpage homepage) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:15
S10	10	KO near SHINU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:15
S11	2	zhenyu near gao	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:15
S12	28	\$crypt\$4 near (webpage homepage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:15
S13	63	\$crypt\$4 near3 (webpage homepage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:19
S14	10	S13 same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:15
S15	50	\$crypt\$4 same (webpage homepage) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:19
S17	553	\$crypt\$4 same (webpage homepage (web adj page)) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:20

S18	72	\$crypt\$4 near3 (webpage homepage (web adj page)) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:00
S19	0	S18 and CGI and MAC and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:00
S20	25	S18 and (CGI MAC firewall)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:22
S21	5751	\$crypt\$4 near3 (file data page) same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:00
S22	82	S21 and CGI and MAC and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:04
S23	98	S21 same (MAC (message adj authentication adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:05
S24	0	S23 same CGI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:05
S25	1	S23 same firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:05
S26	1	S23 and CGI same firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:05
S27	396	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 14:29

S28	40	S27 and (webpage (web adj page) homepage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 14:25
S29	6	S27 and (webpage (web adj page) homepage) same \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 14:37
S30	6	(back adj up) near server same \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 14:29
S31	286	713/165.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 14:29
S32	5	S31 and (webpage (web adj page) homepage) same \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 14:38
S33	123	(webpage (web adj page) homepage) same (MAC "message authentication code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 14:40
S34	123	(webpage (web adj page) homepage) same (MAC "message authentication code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 14:53
S35	28	S34 and \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/10 14:53
S36	105	data near distribution same (backup (back adj up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:45
S37	26	S36 and \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:50

S38	137	(MAC "message authentication code") same ((web adj page) webpage homepage (home adj page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:54
S39	10	S38 same \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:53
S40	30	S38 and \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:53
S41	12253	((web adj page) webpage homepage (home adj page)) same (alter\$6 modif\$8 chang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:58
S42	2658	S41 and \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:56
S43	861	S42 and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:57
S46	670	S42 and firewall same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:57
S47	175	((web adj page) webpage homepage (home adj page)) same (detect\$4 check\$4) near (alter\$6 modif\$8 chang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:06
S48	32	S47 and \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:04
S49	16	S47 and firewall same server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:05

S50	200	(detect\$4 check\$4) near (alter\$6 modif\$8 chang\$4) same (MAC "message authentication code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:06
S51	386	(detect\$4 check\$4) near (alter\$6 modif\$8 chang\$4) same \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:07
S52	38	(detect\$4 check\$4) near (alter\$6 modif\$8 chang\$4) same \$crypt\$4 same (MAC "message authentication code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:11
S53	0	(backup (back adj up)) near3 server same firewall same unencrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:12
S54	1	(backup (back adj up)) near3 server same unencrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:58
S55	286	server near7 unencrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:22
S56	6	server near7 unencrypt\$4 same firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:22
S57	56	server near7 unencrypt\$4 and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:22
S58	1	("6351811").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/15 11:11
S59	69	(backup (back adj up)) near3 server same \$ncrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:03

S60	8	S59 and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:03
S61	97	(backup (back adj up)) near5 server same \$ncrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:03
S62	14449	"4" and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:05
S63	15	S61 and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:10
S64	42	compromis\$4 near3 (data webpage (web adj page) homepage (home adj page)) same firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:23
S65	65	chaos near3 \$crypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:29
S66	12	chaos near3 \$crypt\$4 and authentica\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:29
S67	1038	MAC near header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 13:42
S68	0	S67 same (name and size and date and location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 13:38
S69	9	S67 same (name and size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 13:43

S70	1709	MAC near3 header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 13:42
S71	11	S70 same (name and size)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 13:43
S72	14372	automatic\$6 with recover\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:51
S73	13	S72 same (webpage homepage web adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:42
S74	272	S72 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:42
S75	25	S74 same web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:44
S76	1	S74 with original	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:45
S77	1	S74 with back adj up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:45
S78	1	S74 with copy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:49
S79	2	S74 same firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:50

S80	39	S74 and firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:50
S81	18744	automatic\$6 with retriev\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:51
S82	1141	S81 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:51
S83	30	S82 with (original back adj up copy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 10:52
S84	1	MAC with header same name same size same date same location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:44
S85	2809	MAC with header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:43
S86	2	MAC with header same properties	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:44
S87	55	header same name same size same date same location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:45
S88	6	header same name same size same date same location same propert\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:48
S89	11	header same name with size with date with location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/14 12:48